


## Q1 Please enter your identity verification information below:

Answered: 2,459 Skipped: 0

ANSWER CHOICES	RESPONSES	
First Name	100.00%	2,459
Last Name	96.79%	2,380
Address	88.98%	2,188
Address 2	0.00%	0
City/Town	100.00%	2,459
State/Province	88.53%	2,177
ZIP/Postal Code	93.05%	2,288
Country	65.88%	1,620
Email Address to receive results	100.00%	2,459
Phone Number	0.00%	0

## Q2 Please select all statements that you agree with regarding spinal radiographs (multiple choices allowed):


Answered: 2,421 Skipped: 38



ANSWER CHOICES	RESPONSES	
Radiographic procedures in a Chiropractic office have value beyond the identification of pathology.	93.93%	2,274
Radiographs for biomechanical analysis have significant value.	89.96%	2,178
I order radiographs only for pathology or red flags.	13.42%	325
Radiographic procedures are vital to the chiropractic care I provide in my clinic.	87.07%	2,108
I utilize radiographic procedures to aid in the measurement of clinical outcomes.	77.03%	1,865
Total Respondents: 2,421		

**Q3 What is your level of agreement/disagreement with the following statement: Based on the educational training and past clinical experiences, the Doctor of Chiropractic should be able to make their own clinical decision regarding the utilization of spinal radiographs on their patients.**


Answered: 2,420 Skipped: 39



ANSWER CHOICES	RESPONSES	
Strongly Agree	93.60%	2,265
Mostly Agree	4.92%	119
Neutral	0.70%	17
Mostly Disagree	0.41%	10
Strongly Disagree	0.37%	9
<b>TOTAL</b>		<b>2,420</b>

Q4 The foundation of an Evidence-Based Practice (EBP) is based on 3 integrated components: 1) Doctor’s Clinical Expertise, 2) Patient Preferences/Values, and 3) Best Research Evidence. When making the clinical decision to obtain spinal radiographs of your patient, should all three EBP components be equally considered?


Answered: 2,408 Skipped: 51



ANSWER CHOICES	RESPONSES	
Strongly Agree	48.21%	1,161
Mostly Agree	32.10%	773
Neutral	8.51%	205
Mostly Disagree	6.94%	167
Strongly Disagree	4.24%	102
<b>TOTAL</b>		<b>2,408</b>

**Q5 What is your level of agreement/disagreement with the following statement: In my clinical opinion, patient outcomes would benefit from continued research regarding appropriate utilization of spinal radiographs in the practice of chiropractic.**


Answered: 2,402 Skipped: 57



ANSWER CHOICES	RESPONSES	
Strongly Agree	69.03%	1,658
Mostly Agree	17.57%	422
Neutral	8.16%	196
Mostly Disagree	3.21%	77
Strongly Disagree	2.04%	49
<b>TOTAL</b>		<b>2,402</b>

**Q6 What is your level of agreement/disagreement with the following statement: In the absence of published chiropractic research evidence, the doctor's clinical experience combined with patient preferences are adequate for the appropriate recommendation of spinal radiographs in the practice of chiropractic.**


Answered: 2,385 Skipped: 74



ANSWER CHOICES	RESPONSES	
Strongly Agree	56.18%	1,340
Mostly Agree	27.55%	657
Neutral	7.38%	176
Mostly Disagree	5.24%	125
Strongly Disagree	3.65%	87
<b>TOTAL</b>		<b>2,385</b>

**Q7 Please select one answer that best describes your use of general spinal radiography in your practice. (This is NOT regarding advanced imaging such as CT/MRI).**


Answered: 2,378 Skipped: 81



ANSWER CHOICES	RESPONSES
I do NOT take radiographs in my clinic, I refer patients out to another facility.	20.65% 491
I DO have an x-ray machine in my practice, but I still refer patients out to another facility for the majority of my spinal radiographs.	1.72% 41
I have a plain film x-ray system in my practice and use it for the majority of my radiographs.	15.01% 357
I have a DR digital x-ray system in my practice and use it for the majority of my radiographs.	52.31% 1,244
I have a CR digital x-ray system in my practice and use it for the majority of my radiographs. (CR digital requires the cassette to be placed into an image processor to process images.)	10.30% 245
<b>TOTAL</b>	<b>2,378</b>

## Q8 What level of risk do you believe is present in your chiropractic practice affecting your patients' health, as a result of x-ray radiation from your utilization of radiography?

Answered: 2,375 Skipped: 84




ANSWER CHOICES	RESPONSES
High Risk	0.29% 7
Moderate Risk	0.88% 21
Low Risk	8.76% 208
Very Low Risk	60.13% 1,428
No Risk	29.94% 711
<b>TOTAL</b>	<b>2,375</b>



**Q9 What is your level of agreement/disagreement with the following statement: In my clinical experience, sharing chiropractic clinical findings from radiographic studies with the patient is beneficial to their clinical outcome.**


Answered: 2,361 Skipped: 98



ANSWER CHOICES	RESPONSES
Strongly Agree	82.55% 1,949
Mostly Agree	11.69% 276
Neutral	3.05% 72
Mostly Disagree	1.78% 42
Strongly Disagree	0.93% 22
<b>TOTAL</b>	<b>2,361</b>

Q10 Based on your clinical experience, which reasons are valid to obtain a spinal radiograph in the practice of chiropractic. (Choose all that apply).

Answered: 2,356 Skipped: 103



ANSWER CHOICES	RESPONSES	
To determine adjusting technique or vertebral levels to be adjusted.	78.06%	1,839
Biomechanical analysis or obtaining measurements of spinal alignment.	89.73%	2,114
Care plan modification considerations.	86.63%	2,041
Determine spinal complications such as degenerative changes, anomalies, or defects.	97.16%	2,289
Investigate red flags (fracture, neurologic deficits, suspected pathology).	98.22%	2,314
Total Respondents: 2,356		

**Q11 Please add any comments you wish to submit with this survey:**

Answered: 744 Skipped: 1,715